


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.33

Sept. 1, 1941



A List with Short Descriptions and Synonyms of the Approximately

700 VARIETIES OF CAMELLIAS

Now Growing in the Home Grounds (JUNGLE GARDENS) of

E. A. McILHENNY
AVERY ISLAND, LOUISIANA

PRICE — 50 CENTS

KEY TO SOURCES

•

- ARMSTRONG.....from Armstrong Nurseries, Ontario, Calif.
AZALEA GLEN.....from Azalea Glen Nurseries, Inc., Loxley, Ala.
B. & A.from Bobbink & Atkins, Rutherford, N. J.
BOLEN.....from Bolen Nursery, Lucedale, Miss.
COOLIDGE.....from Coolidge Rare Plant Gardens, East Pasadena,
Calif.
DOMOTO.....from Toichi Domoto, Hayward, Calif.
ENG.from England, Robert Veitch & Sons, and other
English nurseries or gardens.
FRUITLAND.....from Fruitland Nurseries, Augusta, Ga.
GERMANY.....from Seidel and other German nurseries.
GLEN ST. MARY....from Glen St. Mary Nurseries, Glen St. Mary, Fla.
G. S.from Guichard Soeurs, Nantes, France.
HILL.....from D. Hill Nursery, Dundee, Ill.
JAPANfrom Japan's various camellia nurseries.
J. G.produced or developed by E. A. McIlhenny, Jungle
Gardens, Avery Island, La.
KIYONOfrom Kiyono Nurseries, Semmes, Ala.
LINDOfrom Lindo Nurseries, Chico, Calif.
MILLERfrom H. K. Miller, Monticello, Fla.
OVERLOOK.....from Overlook Nurseries, Crichton, Ala.
RUBELfrom Robt. J. Rubel—"Longview"—Crichton, Ala.

Individuals' names are given in cases where plants are secured from individuals and developed at Jungle Gardens.

Syn: is the abbreviation for the word *synonymous*.

FOREWORD

This Camellia list covers the named varieties of this beautiful fall, winter, and spring blooming shrub, now growing in Jungle Gardens, the home grounds of E. A. McIlhenny, at Avery Island, Louisiana.

This collection, generally acknowledged as the largest in the world, represents years of research, and the bringing together of these plants from all the camellia-growing centers of the world, at great effort and expense.

There is, in the camellia, great variation in both plant and blossom, which makes it impossible for the horticulturist to determine the correct name of the many varieties from written description alone. This fact has caused nurserymen, now offering camellias for sale, to send out plants incorrectly named, thereby often causing fanciers to purchase the same variety under a number of different local names.

For those who wish to own correctly named camellias, the McIlhenny Collection is of great value, for it is available to those who wish to compare the blossoms of the camellias they now have, and learn definitely their correct names.

Every variety listed can be secured on orders placed before or during the grafting season, which is from January to March.

Many of the common varieties are carried in stock, but the rare and scarce varieties are grafted specially, and only to fill specific orders.

My method of grafting is to use three to six year old, vigorous, blooming plants for the understock, putting the graft in at the root. This method produces a strong, bushy, blooming plant, three to four feet tall at two years from the graft, assuring the purchaser a blooming plant of attractive size one year after delivery. No plants are delivered until the graft has completed one full summer-growing season.

My charges for grafting camellias are:

\$ 7.50 per plant if grafted on three year old stock.

\$12.50 per plant if grafted on five to six year old stock.

One-half is payable when the order is placed, the balance to be paid before shipment is made. All prices are f. o. b. Avery Island.

Should a customer desire the grafted plant carried in the nursery for a second summer's growth before shipment, an extra charge of \$2.00 per plant is made for this service.

I also carry in stock a larger number of one and two year old plants raised from cuttings, at lesser prices.

Delivery of all plants in good condition to the transportation company is guaranteed.

Any plant will be replaced should it die within 90 days after delivery, providing claim is made within the 90 day period.

Should a plant ordered to be grafted fail to take, or die before delivery to the customer, all advance money will be refunded.

In describing the shape of camellia flowers:

Single—denotes one or two rows of petals lying flat.

Semi-double—more than two rows of petals lying flat, with center of bloom open.

Imb.—petals smoothly shingle from center to outer edge.

Full double—some petals imbricated, some irregular.

Peonytype or Peonyform—double, with irregular petals.

E. A. McILHENNY,
Avery Island, La.

1. CAMELLIA SINENSIS (THEA SINENSIS) (China):

(Blossom small, white, single, borne in great profusion throughout the Fall. This is the plant from the tender leaves of which the Tea of Commerce is made.)

2. CAMELLIA RETICULATA (England):

(Blossoms large, irregular, in many shades of pink. Very difficult to propagate, a native of China.)

2-A. CAMELLIA HONGKONGENSIS:

(The next three camellias were received from Japan labeled *Reticulata* but undoubtedly belongs to the *Camellia hongkongensis* group, a rare native of the country around Hongkong, China, and seldom found in cultivation. Flowers—single, small, but attractive.

RETICULATA ALBIFLORA (Japan)—Has not yet bloomed.

RETICULATA BICOLOR (Japan)—Has not yet bloomed.

RETICULATA CAMPANULATA (Japan)—Small, single, Rose Pink.

3. CAMELLIA JAPONICA:

(This, the common camellia of Southern gardens, is too well known to require a lengthy account. A native of the mountainous districts of Japan, China, and Korea, it was first brought to Europe (England) in 1739. *Camellia Japonica* soon became popular as a blooming greenhouse shrub, and hundreds of varieties with flowers of many forms and colors were developed during the next hundred years, reaching the height of its popularity during the middle of the nineteenth century.

Prior to the Civil War, camellias were one of the most popular blooming shrubs planted about the great plantation homes of the South. With the passing of the great plantation system after the War Between the States, practically all ornamental gardening in the South ceased and the value of camellias as an ornamental became almost forgotten, and it was not revived again until about twenty years ago, when it came to life with a rush, so that now it is again the most sought after of all ornamental plants for home grounds decoration over a wide section of the country.

Throughout the lower South, and along the Atlantic Coast, as far north as Washington, camellias flower freely in the Winter and Spring, and with its abundance of shiny, dark-green foliage, and profusion of beautiful flowers, it is classed as the most beautiful of all ornamental shrubs.)

Varieties now growing in Jungle Gardens are:

ABUNDANCE (Domoto)—Attractive Pure White, double, loosely petaled.

ADELINA PATTI (B. & A.)—Single, Pink at base shading to White at tips.

ADOLPHE AUDUSSON (G. S.)—Finest semi-double Red. Prominent stamens.

ADOLPHE AUDUSSON VARIEGATED—Variegated form of Adolphe Audusson. Fine.

ADRIEN LEBRUN (Coolidge)—Extremely double, symmetrical. Deep Rose.

ADUMA-SHIBORI (Japan)—Full double Scarlet, spotted White.

AINFA EGERIA (G. S.)—White, small, very double blossom.

AKA-KORAKO (Japan) Syn.: Ara-jishi—Full double, Scarlet.

AKA-KOSHIMINO (Japan)—Has not yet bloomed.

AKASHI-GATA (Japan)—Large full double, Crimson.

AKA-SUMIKURA (Japan)—Crimson, full double. Small.

AKA-TAKUKAI (Japan)—Very small Rose.

AKA-WABISUKE (Japan)—Rose, very small. Single.

AKEBONO (Domoto)—Single, long petals. Soft Flesh color.

AKEBONO PINK (Domoto)—Semi-double, Deep Rose Pink.

AKEBONO VARIEGATED (Domoto)—Single, White lined with Rose.

AKI-NO-YAMA (Japan)—Semi-double, large. Crimson, occasionally blotched White.

ALBA CASSORETTI (G. S.)—Imb., large, full double. Pure White.

3. CAMELLIA JAPONICA (Continued):

- ALBA PLENA (Improved) (G. S.)—Imb. Pure White. Large fine bloom.
- ALBA SUPERBA (D. & D.) Syn.: Rev. John G. Drayton—Large semi-double, Pure White.
- ALLEN (B. & A.)—Semi-double. White shading to Yellow at base.
- ALLINGHAM (Jungle Gardens, local development)—Imb. Deep Red with White spots.
- ALOHA (Coolidge) Syn.: Lady Alice—Peony-type. Dark Salmon Rose. Early.
- ALTHEAFLORA (G. S.)—Large, peony-type, Uniform Deep Red, tipped Black.
- ALTHEAFLORA (B. & A.)—Peony-form, Pink to White.
- ALTHEAFLORA SHELL PINK (J. G.) Syn.: Pink Rosea. Peony-type; fine. Shell Pink.
- AMABILIS (Domoto)—Single. White at base, lightly mottled Rose Red.
- AMABILIS VARIEGATED (Domoto)—Single. Light Rose with Deep Rose stripes.
- AMA-NO-KAWA (Japan)—Large flower, incurved double petals; White.
- AMA-NO-SHITA (Japan)—Single. Red with White variegation.
- AMAZING (J. G.)—Imb. A seedling. Purple fading to Lavender at the center.
- AMERICANA (G. S.)—Imb. White with Pink and Red stripes.
- AMERICAN BEAUTY (Coe)—Imb. Large Deep Red.
- ANGELO BOTTI (B. & A.)—Imb., small. Flesh Pink lightly flecked Light Red.
- ANGELO COCCHI (G. S.)—Imb. Rose Pink streaked White. Medium size.
- ANNA BRUNEAU (G. S.)—Imb. Light Pink with few White blotches.
- ANNA FROST (B. & A.)—Semi-double. Rose Pink veined with Dark Red.
- ANNE LINDBERG (Lindo)—Peony-form. Medium Large; Deep Red.
- APOLLO (B. & A.)—Five petal, single. Rose Red. Prolific bloomer.
- APPLE BLOSSOM (Japan)—Single, slender petals. White, washed Pink.
- ARA-JISHI (Japan) Syn.: Aka-korako—Full double, Scarlet.
- ARNALDA de BRESIA (Bolen)—Imb. Deep Rose base, flecked Rose and White.
- AS-OTOME (Japan)—A sport of Otome.
- ASPACIA (Lindo) Syn.: Empress de Russia—Deep Crimson, splotted White. Peony-type.
- AUGUSTA WILSON (Overlook) Syn.: Cabbage Head, St. Elmo—Peony-form; Deep Pink.
- AUGUSTE DELFOSSE (B. & A.)—Small, Deep Pink suffused with Purple cast. Imb.
- AURORA (J. G. local development)—Large, single. Rose Madder Pink.
- AYA-NISHIKI (Japan)—Single. Crimson variegation on White.
- BARONNE LEGUAY (G. S.)—Peony-form. Large Red.
- BARON VON BLEICHRODER (Germany)—Imb. Ivory, lined Rose. Holds bud center.
- BEAUTE de NANTES (G. S.)—Imb. Flesh Rose with lighter center. Double irregular.
- BEAUTIFUL (J. G.) Syn.: Prince Albert—Two colors, varying from Light Rose to White. Double irregular.
- BELLA LAMBERTII (G. S.)—Full, imb. Dark Red.
- BELLA ROMANA (G. S.) Syn.: Mme. Strelakoff—Imb. Rose streaked Vivid Carmine.
- BELLCAMP PURPLE (Overlook)—Imb. Peony-type, single; vary large.
- BELLE JEANNETTE (Lindo)—Very large double. Red and White variegated.
- BELLE JUDITA (G. S.)—Imb. White, often faintly lined Pink.
- BELLE JUDITA (G. S.)—Peony-form. Identity uncertain. Similar to Prof. Sargent.
- BELLE ROSE (J. G., local development)—Single, Rose. Sport of Souvenir d'une Ami.
- BELGIAN RED (Lindo)—Full double. Medium large, Clear Red.
- BENI-DAIKAGURA (Japan)—Has not yet bloomed.
- BENI-KORAKO (Japan) Syn.: Kumasaka, Lady Marion—Very large; Rose Red.
- BENI-KIRIN (Japan)—Semi-double. White on Pink.
- BENI-MYORENJI (Japan)—Has not yet bloomed.
- BENTEN (Japan)—Small, single, Rose Red. Yellow variegated leaf.
- BICOLOR (G. S.)—Semi-double. Pink and White. Equally divided large blossom.

3. CAMELLIA JAPONICA (Continued):

BICOLOR de la REINE (G. S.)—Imb. White background, shaded Rose, bordered White.
BIG BEAUTY (Jungle Gardens Seedling)—Large, White, blotched and dashed Pink.
BIHO (Japan)—Single. Cup-shaped, slightly flushed with Flesh.

BIHO PINK (Pugh)—A Pink form of Biho.

BLACK PRINCE (Japan)—Semi-double. Color Bordeaux. Stamens Red. Small.

BLACK QUEEN (Japan)—Has not yet bloomed.

BLOOD OF CHINA (Rubel)—Very large peony-form. Deep Red. Stamens prominent.

BLUSHING BRIDE (J. G.) Syn.: Feasti—Very double, small, White dashed Light Red.

BONOMIANA (G. S.)—Imb. White background striated with Flame.

BON-SHIRATIMA (Japan)—Semi-double. White. Prominent stamens.

BOHUKAN (Japan)—Has not yet bloomed.

BOULE de NEIGE (Jungle Gardens, local development)—Peony-type. White.

BRIOMAROTTI (G. S.)—Double. Light Pink, some petals almost White.

BROOKLYANA (Overlook)—Very double, medium size. Deep Pink mottled White.

BROWN'S RED (Kiyono)—Large peony-form. Tyrian Rose center to Pomegranate edges.

BUFF (Ger.) Syn.: Carnea—Imb. White and Flesh colored.

BUSH GARDEN RED (Coolidge)—Color Deep Rose Red. Close petaled double.

C. H. HOVEY (Germany)—Has not yet bloomed.

CABBAGE HEAD (Mobile) Syn.: St. Elmo, Augusta Wilson—Peony-form; Deep Pink.

CALDWELL RED (J. G.) (Seedling)—Imb. Medium size. Red.

CALDWELL WHITE (J. G.) Syn.: Compacta Alba—Imb. Medium size; Pure White.

CALDWELL VARIEGATED (J. G. Seedling)—Pink to White, marked Red. Imb.

CALEB COPE (Glen St. Mary) Syn.: Dixie—Imb. Medium to large. Clear Rose Pink.

CAMEO PINK (Pugh)—Small; very Light Pink.

CAMILLE BROZZONI (G. S.)—Imb., beautiful Rose, bordered White.

CAMPBELLI (Lindo)—Full peony double, large petals. Deep Rose Pink.

CANDIDA ELEGANTISSIMA (Lindo)—Peony-type, large. Deep Red, occasional White spots.

CANDIDISSIMA (Rubel)—Imb., medium size. Pure White.

CAPRICE (Coolidge)—Double. Creamy-White, medium size. Stamens prominent.

CARNATION (Overlook) Syn.: Rose Emry—Medium size; Light Red.

CARLOTTA GRISI (G. S.)—Deep Red, double blossom. Opens flat.

CARNEA (G. S.) Syn.: Buff—White and Flesh colored.

CATHERINE LONGHI (G. S.)—Imb. Carmine Rose.

CENTIFOLIA ALBA (G. S.)—Imb., very large flower. White.

CENTIFOLIA RUBRA (Belgium)—Red.

CHANCELLOR (Lindo) Syn.: Chandlerii Elegans, Sophia. Rose Pink blotched White.

CHANDLERII (G. S.)—The original type of which Chandlerii Elegans is a sport.

CHANDLERII ALBA (Miller)—Syn.: Madge Miller—A Pure White form of Chandlerii Elegans.

CHANDLERII ELEGANS (G. S.) Syn.: Sophia, Chancellor—Pompom-type. Deep Rose Pink, blotched White. Sports from White to Deep Rose on same tree.

CHANDLERII ROSEA (J. G.) Syn.: Francine—Semi-double Deep Rose Pink tipped Red.

CHANDLERII RUBRA (J. G.)—A Rose Red form of Chandlerii Elegans. Occasional White spots.

CHEERFUL (Armstrong) Syn.: Lucida, Hi-otome, Kyo-botan—Dark Pink, full double.

CHEROKEE (J. G.)—Large, single, Rose Madder and Alizarin Crimson.

CHERRY-O (J. G.)—Large, semi-double. Carmine, shading to Pink, blotched White.

CHIFFON (Coolidge)—Cupped at center. Two rows of large, heavy, Rose petals.

CHITOSE-NISHIKI (Japan)—White to Purplish-Red variegations.

CHIYODA-NISHIKI (Japan) Syn.: Nana-komachi—Single. Rose Red, mottled White.

CHO-NO-HANAGATA (Japan)—Peony-flowered. Large size; Pink shaded White.

3. CAMELLIA JAPONICA (Continued):

- CHRISTINE LEE (Seedling from Dr. W. G. Lee)—Large, semi-double. Fine Pink.
CHRISTMAS RED (Domoto)—Single, uniform Light Rose Red.
CLARKE RED (Lindo)—Dark Red, loosely imbricated. Medium size.
C. M. HOVEY (G. S.)—Imb., large. Some petals solid Red, others solid White.
COLONEL FIREY (Lindo)—Rather flat flower; Red.
COLETTI (G. S.) Syn.: Girard DeBaillon, Purplyana, Coletti Maculata—Some petals solid Red, others solid White. Peony-type.
COLOMBO (Germany)—Imb. Rose Pink mottled White. Petals turned down.
COMPACTA ALBA (G. S.) Syn.: Caldwell White—Imb., small. Beautiful Pure White.
COMTE BOUTOURLIN (G. S.)—Imb., Rose Red. Medium size.
COMTESSE CALLENIE (G. S.)—Full double. Pure White, sometimes with Pink blotches.
COMTE de CHAMBARDE (B. & A.)—Full double blossom. Warm Red.
COMTE de GOMER (B. & A.)—Flesh Pink, flecked Red. Medium size. Double.
COMTE de PARIS (G. S.)—Fine double; Rich Pink shading to Shell Pink.
COMTESSE LAVINIA MAGGI (G. S.)—Imb., large. Pure White background striated Red.
COMTESSE NEIPOINT (B. & A.) Syn.: Kowei—White background blotched and striped Red.
CONSPICUA (Eng.)—Semi-double, open blossom. Warm Red. Very large.
CONCORDIA (G. S.)—Peony-type. Rose background striated with Purple.
COQUETTI (G. S.)—Imb. Bright Cherry Red. Medium size.
CORRADINO (G. S.)—Imb. Soft Rose, diminishing in color towards center.
COUNTESS OF DERBY (G. S.)—Rose-form, White background striated Carmine.
COUNTESS OF ORKNEY (G. S.)—Imb., Pure White striated with Red.
COVINA (Coolidge)—Informal double Rose Red. Bright and lasting color.
CREPE DE CHINE (J. G.)—Semi-double blossom. White or Rose or Variegated.
CRINKLY RED (Sunny Knoll)—Semi-double. Red with Purple cast. Medium size.
CRUCIATA (G. S.)—Large peony-type. Deep Rose Pink to Rose Red at base.
CUP OF BEAUTY (G. S.)—Perfect double. White ground suffused Rose Pink.
CUP OF BEAUTY (J. G.)—Rose Red. Holds bud center, finally opening into cup-shaped bloom. Beautiful.
CUSPIDATA (England)—Small single, White.
- DAIKAGURA (Japan)—Large, double, peony-form. Early bloomer. Rich Deep Pink.
DAIKAGURA VARIEGATED (Japan) Syn.: Kiyosu—Large, peony-form. Bright Rose Red, splotted White.
DAIKAGURA WHITE (Pugh)—A white form of Daikagura.
DANTE (Lindo) Syn.: Kagiri—Imb. Medium size; White with Golden base at foot of each petal.
DARSII (G. S.) Syn.: Derbeyana—Semi-double; very large Firey Red.
DAVIESII (G. S.)—Peony-form, bright Red. Very large.
DE LA REINE (G. S.)—Imb., full double. Ivory White flecked Light Pink.
DEBUTANTE (Florida) Syn.: Sarah C. Hastie—Peony-type; delicate Rose Madder Pink. Early.
DELORME (J. G.)—Rose Madder blotched White. Medium size, semi-double.
DE L'ILE (J. G.)—Medium size, peony-form. Rose Red mottled White.
DE NOTARIS (G. S.)—Medium size. Imb. Rose Red spotted White.
DERBEYANA (G. S.) Syn.: Darsii—Large, semi-double, Very Dark Red.
DEVONIA (Eng.)—Single White. Golden stamens.
DIVERSAFLORA PLENA (J. G.)—Imb. Light Rose Pink blotched White.
DIXIE (Overlook) Syn.: Caleb Cope—Imb. Medium Clear Rose Pink.
DOM CAMILLE BORGHESE (G. S.)—Imb. Red lined with White.
DONKELAARI (G. S.)—Large, semi-double. Light Red spotted and flecked White.

3. CAMELLIA JAPONICA (Continued):

- DONKELAARI EUGENE LIZE (G. S.) Syn.: Lady Jane Gray, Donkelaari Peony-flora, Sport of Donkelaari—Peony-form, double flower. Light Rose flecked White.
- DORBRIELLE (B. & A.) Syn.: Tokayama—Imb., medium size Crimson.
- DR. OLDWIG THAYER (W. R. Coe)—Bright Cherry Red. Double, medium size.
- DUC de BERRY (G. S.)—Cup-shaped, Pure White, few petals streaked Pink.
- DUC de BRETAGNE (G. S.)—Imb. Rose, color diminishes towards center.
- DUC de DEVONSHIRE (Eng.)—Imb. Large, Fine Vivid Red.
- DUC d'ORLEANS (Bolen) Syn.: Margarine Gouillon—Peony-type. Ivory, flecked Pink.
- DUC d'ORLEANS PINK (Bolen)—Pink form of Duc d'Orleans.
- DUCHESSIE de BERRY (Belgium)—Imb. Pure White.
- DUCHESSIE de CAZE (G. S.)—Peony-type. Double, Light Pink.
- DUCHESSIE de MONTPENSIER (G. S.)—Imb. Small, White with some petals lined Pink.
- DUCHESSIE d'ORLEANS (G. S.) Syn.: Gen. Lamoriciere—Large double. Rose Madder Pink.
- DUNLOP'S IMBRICATA (Eng.)—Imb., Velvet Rose, lightly mottled White.
- DRYADE (Germany) Syn.: Iride—Imb. Small Vivid Rose.
- ECSTASY (D. & D.)—Medium large, full double; Clear Pink.
- ELATA (Lindo)—Has not yet bloomed.
- ELENA NOBILE (Lindo) Syn.: Napa Red—Imb., large. Irregular petals, Bright Crimson.
- ELEANOR OF FAIROAKS (Bolen)—Peony-type. Deep Red, flecked White.
- ELISA CENTURONI (G. S.)—Imb. White spotted with Soft Rose.
- ELISABETH (Kiyono) Syn.: Montironi, Trois Marie—Full double, White with stamens of Light Red.
- ELLA DRAYTON (D. & D.)—Large double Red flower.
- ELLEN McKINSEY (Bolen)—Peony-type. Pink ground, striped Pink, spotted White.
- EMMA (Germany)—Peony-form. Large, Soft Pink.
- EMPEROR (B. & A.)—Deep Crimson, large, peony-type.
- EMPEROR (G. S.)—Formed like Prof. Sargent. Rose Red tinged Purple.
- EMPRESS (Overlook) Syn.: Grandiflora, Lady Clare—Large, semi-double; Bright Pink.
- EMPRESS OF INDIA (Lindo)—Salmon Red. Petals small and irregular. Late bloomer.
- EMPRESS OF RUSSIA (Coolidge)—Peony-type, Rose Red lightly washed Pomegranate Purple.
- ENRICO BETTONI (Kiyono) Syn.: Hite Pink—Large, petals irregular. Rose Pink.
- ETHLINGTON WHITE (Kiyono)—Large, semi-double. Pure White.
- EUGENIA di MASSENA (Germany)—Has not yet bloomed.
- EVERHAM (Armstrong)—Has not yet bloomed.
- FANNY BOLLIS (G. S.) Syn.: Latifolia—Imb. White striated with Rose.
- FEASTI (G. S.) Syn.: Blushing Bride—Imb. Solid White. Sometimes Pink and White.
- FELICITAS (Germany)—Full double, large; Tyrian Pink.
- FESTIVA (G. S.)—Imb. Light Cherry, veined Dark Cherry.
- FINLIANDIA (D. & D.)—Large open flower; White with prominent stamens.
- FIMBRIATA ALBA (G. S.) Syn.: Alba Plena Fimbriata, Fimbriata Plena—Pure White, fringed petals.
- FIR-BALL (Fire Ball) (G. S.) Syn.: Carnation, Ignescens—Peony-type, Fire Red.
- FISHER'S ROSE (Pugh)—Has not yet bloomed.

3. CAMELLIA JAPONICA (Continued):

FLORAPLENA ATROURUBENS (J. G.) Syn.: Pope Pius IX, Prince Eugene Napoleon—Imb., large double, fine Red.

FLORE (Eng.)—Semi-double blossom Pure White.

FLORENCE STRATTON (J. G. Seedling)—Imb. Large, White, some petals solid Pink.

FLOREPLENA PAEONYFLORA (J. G.)—Deep Rose Madder. Peony-type, large.

FLORE SEMI-DUPLEX (J. G.)—Semi-double. Medium size. Fine Deep Pink.

FOSTINE (G. S.) Syn.: Nobilissima—Double White shading to Yellow at the base.

FRANCINE (Coolidge) Syn.: Chandlerii Rosea—Semi-double. Deep Rose Pink tipped Red.

FRANS VAN DAMME (G. S.)—Imb., Deep Rose spotted with White.

FRAU MINA SEIDEL (Germany) Syn.: Goishi, Lacy Pink, Pink Perfection, Usutome—Imb. Small True Shell Pink.

FRAU DR. SCHIFFNER (Germany)—Imb., Pure White. Large petals.

FRAU GEHEIMRAT OLDEVIG (Germany)—Large, semi-double. Spinel Pink spotted White.

FRED SANDER (Eng.)—Semi-double. Bright Red, occasionally flecked White. Petals deeply fringed.

FRENCH PEONY (Domoto)—Semi-double. Small, Clear Spinel Pink.

FUCATUS (J. G.)—Peony-type, full double. Light Red.

FUYAJO (Japan)—Black Red, small blossom.

GENERAL CIALDINI (Germany)—Has not yet bloomed.

GENERAL LAMORICIERE (G. S.)—Syn.: Duchesse d'Orleans—Imb. Peony-type, full. Flesh to Rose, flecked Rose Red.

GENERAL WASHINGTON (B. & A.) Syn.: Gigantea Alba—Semi-double, large, White; some petals lined Pink. Stamens in attractive crown.

GENJI-KARAKO (Japan)—Pink with White margin.

GIANTE des BATAILLES (J. G.)—Sport of Prof. Sargent. Syn.: Coletti, Coletti Maculata, Purplyana—Red splotted White.

GIARDINO FRANCHETTI (Germany)—Has not yet bloomed.

GIARDINO SCHMITZ (G. S.)—Imb., Flesh flushed Rose.

GIGANTEA (G. S.) Syn.: Kellingtonia—Peony-type, Deep Red blotched White.

GIGANTEA ALBA (G. S.) Syn.: Gen. Washington—Finest semi-double, Pure White.

GILL RED (Domoto)—Imb., small. Rose color shading to Tyrian Pink at center.

GLABBERIEMUS (J. G.)—Imb. Rose Madder, shading to Shell Pink at center.

GLOIRE de NANTES (G. S.) Syn.: Superbissima, Leana Superba—Semi-double. Dark Red.

GLOIRE de PAULINA (J. G.)—Large single, Rose Red. Heavy petals.

GLORIOUS (J. G.)—Imb., petals Light Red at base, tipped Rose Pink.

GOISHI (Japan) Syn.: Frau Mina Seidel, Usutome, Lacy Pink, Pink Perfection—Imb. Small True Shell Pink.

GONDO-SHIBORI (Japan) Syn.: Yezo-nishiki—White flushed Flesh, Red variegation.

GORDONI (G. S.)—Imb. Vivid Rose, lightly striated with White.

GOSHO-GURUMA (Japan)—Single. Deep Red, opening flat.

GOVERNOR MOUTON (local seedling)—Large, irregular. Some petals blotched White, some solid Red.

GRANDIFLORA ALBA (Domoto) Syn.: Lotus—Single, White with large Yellow stamens.

GRANDIFLORA ROSEA (Domoto) Syn.: Empress—Large semi-double. Bright Pink.

GUIFOLIUS HALENA (Lindo)—Peony-form. Light Pink, flecked Rose Pink.

GUNELLI (Florida) Syn.: Honor of America, Red ball—Peony-form. Rose Red.

GUTHRIANA (G. S.)—Large, fully imb. Rose Pink, opening flat.

3. CAMELLIA JAPONICA (Continued):

- H. A. DOWNING (B. & A.)—Loosely imb. Rose Red veined Blood Red.
H. D. BLANKS (La. Seedling)—Has not yet bloomed.
HAEMANTHUS (J. G.)—Loose peony-type. Deep Red heavily veined Purple.
HAKU-BAI (Japan) Syn.: Haku-tsuru—Single, round petals. Snow White.
HAKU-BOTAN (Japan)—Full double. White.
HAKU-CHO (Japan)—Full double. Snow White. Large blossom with prominent stamens.
HAKUO (Japan)—Double. Medium size, White. One of the latest.
HAKU-RAKUTEN (Japan)—Large double, star-shaped. White. Petals curved and fluted.
HAKU-TSURU (Japan) Syn.: Haku-bai—Single. Large round, crinkled petals. White.
HARLEQUIN (Rubel)—Peony-form. Medium size. White and Clear Pink.
HARRIET I. LAUB (J. G. Seedling)—Imb. Pure White. Petals fluted.
HARMONIUS (J. G.)—Sport of Herme. Solid Rose Red. Semi-double.
HASSAKU-TSUBAKI (Japan) Syn.: Hatsu-arashi, Rogetsu—Single. Pink with Vermillion Red variegations.
HATSU-ARASHI (Japan) Syn.: Rogetsu, Hassaku-tsubaki—Single, Pink with Vermillion Red variegations.
HATSU-SAKURA (Japan)—Single Pink.
HEINRICH SEIDEL (Germany)—Has not yet bloomed.
HECTOTIANA (G. S.)—Semi-double. Pure White.
HELENE VON WALLENGER (Germany)—Has not yet bloomed.
HENRI FAVRE (G. S.)—Imb. Cherry Rose.
HERME (G. S.) Syn.: Hikari-genji, Sou. de Henri Guichard, Jordan's Pride—Large semi-double. Light Pink, White border, lined Red.
HERME RED (A. I.)—A solid form of Hermie.
HERMOSA (J. G.)—Single. Pure White, sometimes striped Pink and Red.
HIJIRIMEN (Japan)—Small, double. Incurved petals. Rose Red.
HIKARI GENJI (Japan) Syn.: Hermie, Sou. de Henri Guichard, Jordan's Pride—Light Pink bordered White, lined Red.
HIKARI ROSE (Domoto)—Rose-form. Regular. Deep Rose Pink.
HINOMARU (Japan)—Small, imb., regular. Deep Rose Red. Late bloomer.
HI-OTOME (Japan)—Full double, incurved petals. Scarlet.
HI-OWSHO (Japan)—Peony-type. Pomegranate Purple. Some petals flecked White.
HISHI-KARAITO (Japan)—Diminutive, peony-form. Rosolane Purple. Stamens among Ivory petaloids.
HITOSUGI (Domoto)—Imb. Small, cup-shaped. Rose Red, tips of petals White.
HOLLYHOCK (Lindo)—Imb. Medium size. Carmine.
HONJO-SHIRO (Japan)—Full double, White.
HOSHI-GURUMA (Domoto)—Imb., regular. Star wheel shaped. Blood Red flecked White.
HOSHO-NO-YUKI (Japan)—Has not yet bloomed.
IGNESCENS (G. S.) Syn.: Carnation, Fire Ball—Peony-type. Fiery Red.
IL CYGNO (G. S.)—Imb., Pure White.
IDATEN-SHIBORI (Japan)—Large, peony-type. Bright Red blotched White.
IL GIOGELLO (Hill)—Imb., small. Light Warm Red, Pink at center.
IL TRAMONTO (G. S.)—Imb., beautiful Rose, mottled White.
IMBRICATA RUBRA (Hill)—Double, Light Red mottled White.
IMPERATOR (G. S.)—Large, double, peony-type. Rose-Pink.
IMPERIALIS (G. S.)—Large, semi-double. Rich Rose Pink, flecked White.
IMURA (Overlook)—Large, semi-double. White. Prominent stamens.
INCARNATA (J. G.)—Full double. Blush White, streaked Flesh Pink.

3. CAMELLIA JAPONICA (Continued):

- INCONSTANT BEAUTY (J. G.) Syn.: Mathotiana Alba, Blood of Christ—Very large double, Pure White often tinged Pink.
- INVOLUTUS (J. G.)—Large, semi-double. Light Rose Pink, occasionally flecked White.
- IRIDE (Germany) Syn.: Dryade—Small, imb., Vivid Rose.
- ISABELLA SPINOLA (G. S.)—Imb., Rose striated White.
- ITALIANA (G. S.)—Small, imb., Rose.
- IWANE-SHIBORI (Japan)—Large, semi-double. Rose Red mottled White.
- JACKSONI (B. & A.)—Large, semi-double. Crimson, occasionally flecked Light Pink.
- JAPONICA (local)—Single, medium size. Light Fiery Red.
- JAPONICA ALBA (local)—Single, medium size. Pure White.
- JAPONICA PINK (local)—Single, Light Pink with prominent stamens.
- JARVIS RED (Kiyono)—Large, semi-double, Vivid Dark Red. Showy.
- JENNY LIND (G. S.)—Imb., Pure White ground, lightly flecked Pink.
- JOHN LANG (Lindo)—Imb., medium size. Light Pink, washed Light Red.
- JORDAN'S PRIDE (Armstrong) Syn.: Hermie, Hikari-genji, Sov. de Henri Guichard—Light Pink bordered White, sometimes Solid Rose Pink.
- JUDITH (D. & D.)—Small single, Light Pink.
- JULIA DRAYTON (B. & A.)—Large, imb. Clear Rose Red, occasionally flecked lightly with White.
- JUSTINE HUERTIN (G. S.)—Imb., Pure White.
- JUYO (Japan)—Has not yet bloomed.
- KAGIRI (Japan) Syn.: Dante—Imb. White, irregular touch of Cream in center. Tips of petals indented.
- KAMO-HON-AMI (Japan)—Snow White. Single. Round petals.
- KAOYO-DORI (Japan)—Large double. Pink with Rose stripes.
- KASUGANO (Japan)—Double. Large flower Crimson with White spots.
- KATE R. (J. G.)—Single, large petals. Rose Pink, blotched White.
- KELLINGTONIA (G. S.) Syn.: Gigantea. Large, peony-type. Deep Red blotched White.
- KELLINGTONIA (G. S.)—Same as Gigantea, but is Solid Red.
- KENNY (Germany)—Large, semi-double. Deep Rose Pink, few White blotches.
- KIKUTOJI (Domoto)—Imb., medium size. Deep Red blotched White.
- KIMBERLEY (Eng.)—Large petals, single. Carmine veined Garnet Brown, unusual.
- KINGYO-TSUBAKI (Japan)—Single, Rose Pink flower. Leaf shaped like fishtail.
- KING ROSEA (G. S.) Syn.: Altheaflora Shell Pink—Peony-type. Shell Pink.
- KISHU-TSUKASA (Japan)—Imb., very large. Light Crimson, occasional White spots.
- KOSHI-GOSHI (Japan)—Has not yet bloomed.
- KOSSUTH (G. S.)—Dark Red with White stripes.
- KOW-EI (Japan) Syn.: Countess Neiport—White streaked and blotched Red.
- KUMASAKA (Japan) Syn.: Beni-korako, Lady Marion—Large, semi-peony type. Rose-Red.
- KURAI-NO-HIMO (Japan)—Single. Deep Crimson. Round petals.
- KURO-TSUBAKI (Japan)—Semi-double. Brilliant Black with Wine wash. Red stamens.
- KYOKKO (Japan)—Large single, round petals. Tyrian Rose veined Red.
- KYO-BOTAN (Japan)—Syn.: Cheerful, Lucida, Hi-Otome—Full double. Dark Pink.
- LACY PINK (Overlook) Syn.: Pink Perfection, Goishi, Usu-otome—Small double True Shell Pink.
- LADINIER'S RED (Lindo)—Large semi-double. Bright Red to Dark Red.
- LADY ALICE (Eng.) Syn.: Aloha. Peony-type; Dark Salmon Rose.

3. CAMELLIA JAPONICA (Continued):

- LADY AUDREY BULLER (Eng.) Syn.: Variegata Perfecta (Germany), Nagasaki—Large, semi-double. Pink blotched White.
- LADY CAMPBELL (Bolen)—Fully imb., small. Muddy Red lined White.
- LADY CLARE (Eng.) Syn.: Empress, Grandiflora Rosea—Large, semi-double. Bright Pink.
- LADY DERBY (B. & A.)—Double. Light Rose to Rose Pink, tipped Red, flecked White.
- LADY de SAUMEREZ (B. & A.)—Semi-double Red, blotched White.
- LADY FRANCE (Domoto) Syn.: Sou. de Bahaud Litou—Imb. Soft Rose.
- LADY HUME'S BLUSH—Imb., White with Blush Pink base.
- LADY JANE GRAY (Miller) Syn.: Donkelaari Eugene Lize—Dark Rose Pink spotted and blotched White.
- LADY MARION (B. & A.) Syn.: Beni-karako, Kumasaka—Large peony, Rose Red.
- LADY VANSETTI (B. & A.)—Semi-double. Rose Red washed Purple. Prominent stamens.
- LADY VANSETTI VARIEGATED (Lindo)—Semi-double White, striped Bright Geranium Lake.
- LAFAYETTE (local)—Small single. Rose. Petals fluted.
- LALLAROOK (G. S.) Syn.: Laurel Leaf—Imb. Light Pink often has White blotches.
- LA PACE (G. S.)—Imb., small. Rose Red.
- LA REINE (J. G.)—Semi-double. Red. Very large petals.
- LA REINE VARIEGATED (J. G.)—Sport of La Reine. Large White blotches.
- LATERIATUS (J. G.)—Large semi-double. Rose veined Tyrian Rose.
- LATIFOLIA (G. S.) Syn.: Fanny Bollis from Armstrong—Rich Red with White splotches.
- LAUREL LEAF (J. G.) Syn.: Lallarook—Double. Clear Pink often spotted White.
- LEANA SUPERBA (G. S.) Syn.: Gloire de Nantes, Superbissima—Semi-double Dark Red.
- LEILA (J. G. Seedling)—Imb. Very rich Shell Pink sometimes flecked White.
- LEON LEGUAY (G. S.)—Large, full semi-double. Solid Light Red.
- LEOPOLD I^{ER} (G. S.)—Imb., Vivid Scarlet Rose lined Crimson.
- LEUCANTHA (J. G. Seedling)—Large, semi-double. Pure White.
- LEWELLYN RED (Domoto)—Loose double. Spinel Red base, Carmine tips.
- LEWELLYN VARIEGATED (Domoto)—Semi-double. Medium size. White flecked Rose.
- LINDA BARRY (J. G. local development)—Semi-double. Rose to White.
- LINDA ROSAZZA (G. S.)—Imb. Pure White.
- LINNEATA (G. S.)—Loose peony-type. Bright Crimson.
- LORRAINE (Bolen)—Full Light Red, few White spots on petals.
- LOVELINESS (J. G. Seedling)—Thick semi-double. Rose Pink petals fringed Amaranth Pink. Prominent stamens.
- LUCIDA (Lindo) Syn.: Cheerful, Kyo-botan—Medium double. Crimson streaked on lighter ground.
- LUDOVICIANUS (J. G. Seedling)—Single. White. Large blossom.
- LURIE'S FAVORITE (Overlook)—Semi-double. Madder Pink lined Amaranth Purple.
- MACULATA PERFECTA (Rubel)—Imb. Rose with lighter blotches.
- MADAME ADELLE (Pugh)—Large flower. Beautiful Rose Pink.
- MADAME APPOLINE GUICHARD (G. S.)—Loose peony-type. White.
- MADAME MARTIN CACHET (G. S.)—Semi-double. Rose Pink.
- MADAME CANAERT d'HAMALE (G. S.)—Imb. Flesh color.
- MADAME CHARLES BLARD (G. S.)—Peony-form, large. Pure White.
- MADAME HAAS (G. S.)—Imb. Light Red occasionally striped Light Pink in center.
- MADAME LEBOIS (B. & A.)—Imb. Medium size. Rose Red.
- MADAME LOURMAND (G. S.)—Single. Flesh Pink. Prominent stamens.

3. CAMELLIA JAPONICA (Continued):

- MADAME NIEHART (Azalea Glen)—Shaped like a rosebud. White flecked Red.
- MADAM PICOULINE (G. S.)—Peony-form. Red.
- MADAME STREKALOFF (Bolen) Syn.: Bella Romana—Imb. Rose streaked with Vivid Carmine.
- MME. FAUCILLON (G. S.)—Very double. Light Rose Pink sometimes spotted White.
- MADGE MILLER (Miller) Syn.: Chandlerii Alba—Pure White.
- MADONA (Bolen)—Imb. Blush Pink slightly dotted Dark Pink.
- MAGHUTTINA (G. S.)—Imb., medium size. Pure White.
- MAGNOLIAFLORA (Eng.)—Semi-double. Delicate Flesh Pink. Smooth. Pointed petals.
- MAID OF ORLEANS (J. G.)—Imb. Small. White striped with Pink.
- MAMAN COCHET (B. & A.)—Peony-form. White. Lemon center. Similar to Noblissima.
- MARASCHINO (D. & D.)—Round petals. Bright Red.
- MARCHIONESS OF EXETER (G. S.) Syn.: Marquise d'Exeter—Peony-form. Light Pink flecked White.
- MARGHARITA CALEONIE No. 1 (G. S.)—Imb. Deep Red with White blotches.
- MARGHARITA CALEONIE No. 2 (G. S.)—Imb. Solid Red form of Margharita Caleonie No. 1.
- MARGURITE GOUILLON (G. S.) Syn.: Duc de Orleans—Open peony-type. Light Blush Pink lined Dark Pink.
- MARIA ANTONIETTA (G. S.)—Imb. Carmine Cherry Red with White stripes.
- MARIANNA GAETE (G. S.)—Imb. Wine Rose with Light Red center.
- MARIA THERESA (B. & A.)—Peony-type. White with Pink edgings to inner petals.
- MARIE MORREN (G. S.)—Imb., small. Soft Pink.
- MARQUISA (J. G.)—Large double. Rose Madder Pink shaded Purplish Blue.
- MARY ANN (Armstrong)—Has not yet bloomed.
- MARY E. M. (J. G.)—Sport of Rev. John Bennett. Semi-double. Rose Madder streaked White from center to tips of petals.
- MARY Mc (J. G.)—Imb., Pink, lightly spotted Pink and White.
- MATHOTIANA ALBA (B. & A.) Syn.: Inconstant Beauty, Blood of Christ—Pure White, very large double. Few petals streaked Pink. Stubborn opener.
- MATHOTIANA ROSEA (Eng.)—Full double, Rose Pink of unusual shade.
- MATHOTIANA RUBRA (G. S.)—Imb., very large Fire Red flower.
- MATSUGASAKI (Japan)—White, Crimson variegations. Early flower.
- MATSUKASA-SHIBORI (Japan)—Full double. White variegation on Crimson.
- MELODY (J. G. Seedling)—Double. Rose blotched White. Rose-like.
- MIHATA (Japan)—Deep Crimson, single round waxy petals. Very large.
- MIKENJAKU (Japan)—Peony-type, large. Crimson with White variegations.
- MINAMOTO (Japan)—Vermillion Red. White spots. Early flower.
- MINERVA (G. S.)—Red. Small, single type.
- MINUET (J. G.)—La. Seedling. White with Pink variegations.
- MISSIMA (J. G.)—Peony-form. Heavy petaled Ivory White flecked Light Pink, some blooms solid Red, some Delicate Pink, some Pink and White.
- MISSION BELLS (Coolidge)—Single bloom. Smooth even Carmine.
- MIYUKI-NISHIKI (Japan)—Has not yet bloomed.
- MOMIJI-GARI (Japan)—Red. Single, large round petals.
- MONARCH (Kiyono) Syn.: Red Ball, Gunelli, Honor of America—Peony-form. Rose Red.
- MONJISU RED (D. & D.)—Semi-double. Vivid Red with Red stamens.
- MONJISU VARIEGATA (Domoto)—Semi-double. Deep Scarlet Red. Red stamens.
- MOONLIGHT (Domoto)—Semi-double. White with Pink overcast.
- MONSIEUR FAUCILLON (G. S.)—Imb., Cherry Red.
- MONSIEUR PAUGAM (G. S.)—Semi-double. White. Petaloids mixed with stamens.
- MONTEVION (B. & A.)—Imb. Pure White, few petals lined and flecked Light Pink.

3. CAMELLIA JAPONICA (Continued):

- MONTIRONI (G. S.) Syn.: Elisabeth, Trois Marie—Imb., White with streaks of Red.
- MONTIRONI ROSEA (G. S.)—Sport of Montironi, Pure Rose.
- MOSHI (Pugh)—Has not yet bloomed.
- MR. RUFUS (J. G.) Syn.: Tricolor Red—Semi-double form of Tricolor. Rose Red.
- MRS. ABBY WILDER (Rubel)—Imb. White lightly flecked Rose Red.
- MRS. CONFER (Lindo) Syn.: Somegawa Variegata—Imb., White lined Red. Stubborn opener.
- MRS. F. SANDER (B. & A.)—Single. White. Stamens showing.
- MRS. H. B. STREETER (Lindo)—Has not yet bloomed.
- MRS. MARGARET MADSEN (Rubel)—Has not yet bloomed.
- MRS. WILLIAM THOMPSON (Eng.)—Large, semi-double. White with faint Pink flush.
- MURUI-SHIBORI (Japan)—Large, full double. Crimson with White variegation.
- MYORENJI (Japan)—Single, long petals. Deep Pink.
- NANA-KOMACHI (Japan) Syn.: Chitose-nishiki, Chiyoda-nishiki—Double Crimson splotted White.
- NAPA RED (Domoto) Syn.: Elena Nobile—Large regular petals, Light Crimson.
- NAPOLÉON d'ITALIE (Kiyono)—Double Rose Red with very Dark Red stripes.
- NEDDY BOY (J. G.)—Imb., small. Pure White with few light flecks of Pink.
- NEIGE d'OREE (Lindo) Syn.: Snow White, Purity—Full double pure White.
- NISHIKI-MINO (Japan)—Has not yet bloomed.
- NISHIKI-NO-TSUKASA (Japan)—Large semi-double Pink, flecked White veined Red.
- NEVIUS (B. & A.) Syn.: Rev. John G. Drayton—Semi-double. Creamy White.
- NOBILISSIMA (G. S.) Syn.: Fostine—Double. White with Yellow shading to base.
- NOBILISSIMA ROSEA (Jungle Gardens)—Like White Nobilissima, color Pink.
- OH-NIJI (Japan)—Peony-type. Crimson with White stamens.
- OKI-NO-NAMI (Japan)—Single. Crimson lines on Light Yellowish Brown.
- ONOR DEL MONTE (G. S.)—Imb., Vivid Rose largely striated with White.
- OPTIMA (G. S.)—Imb. Carmine shaded with Maroon.
- ORANDA-GASA (Japan)—Single, Light Rose Pink. Attractive stamens.
- ORIDINO-NISHIKI (Japan) Syn.: Yamoto-nishiki—Large single. Crepe petals. White lined Red, Solid Rose, Rose lined Red, on same tree.
- OTOME (Japan)—Imb. Rosolane Pink veined Rose, tipped White.
- OTOME-SHIBORI (Japan)—Full double, Pink with Crimson variegation.
- OTOME RED (J. G.)—Sport of Otome. Deep Cherry Red, medium sized blossoms.
- OTOME WHITE (J. G.)—Sport of Otome. Pure White with occasional Pink line.
- OWL FACE (J. G.)—Imb., sometimes has double center. Dark Red.
- PALAZZO TURZI (G. S.)—Imb., peony-form. Blush White, veined and flecked Red.
- PANACHE (Lindo)—Double. Soft Pink with lighter variegation.
- PAOLINA GUICHARDINI (G. S.)—Imb., Cherry Red, tinted Incarnate.
- PAULINA (J. G.)—Large double. Rich Alizarin Crimson, blotched White.
- PAULINE LAPLEAU (J. G. development)—From Dr. Petitjean. Has not bloomed.
- PEONY FLORA (J. G.)—Peony-type. Crimson, large cross-petaled flower.
- PEONY PINK (J. G.)—Peony-flowered, large, Light Pink.
- PERFECTO VARIEGATA (G. S.)—Peony-type. White blotched Rich Pink on few petals.
- PERUCHINI (G. S.)—Peony-type. Medium size. Deep Rose.
- PICTURATA (G. S.)—Peony-form. White striped Carmine.
- PIE IX (G. S.)—Imb., Pinkish White, sometimes lined Pink.
- PIERETTE (D. & D.)—Variegated Pink and White.
- PINK BALL (Domoto)—Peony-form. Large. Soft Shell Pink.
- PINK KAGURA (Japan)—Loose peony-type. Even Pink.

3. CAMELLIA JAPONICA (Continued):

- PINK PERFECTION (B. & A.) Syn.: Usu-otome, Frau Mina Seidel, Goishi, Lacy Pink—Imb. true Shell Pink, small but beautiful.
- PINK STAR (Domoto)—Semi-double. Star-shaped. Bright Rose Pink. Beautiful.
- PINK PEARL (J. G.)—Sport of Pink Perfection. Light Pink, Ivory White bud in center.
- PIRZIO SECONDO (B. & A.)—Very double, White, some petals broadly lined Light Rose.
- POPE PIUS IX (Kiyono) Syn.: Prince Eugene Napoleon, Floreplena Atrorubens—Imb., medium size. Red veined Dark Red.
- PORT BARRIE (J. G.)—Full double. Color varies from Solid Pink to Pure White.
- PRESIDENT ALLARD (G. S.)—Imb. Mother-of-Pearl White striated Red.
- PRESTON ROSE (B. & A.)—Large, peony type, Light Pink occasionally blotched White.
- PRIDE OF ROSEBUD FARM (Lindo)—Single Red.
- PRINCE ALBERT (G. S.) Syn.: Beautiful—Rose Pink flecked White. Peony-form.
- PRINCE de SALBERNE (B. & A.)—Double. Light Red, veined Dark Red.
- PRINCESSE BACCHINACHI (B. & A.)—Double Red, some petals splotched White.
- PRINCESSE BACCHIOCHI (G. S.)—Imb., small. Red, some petals blotched White.
- PRINCESSE SOPHIE (Overlook)—Peony-type. Rose, washed Light Purple. White spots.
- PROFESSOR C. S. SARGENT (B. & A.)—Full double, Brilliant Crimson, petals irregular.
- PROFESSOR GIOVANNI SANTARELLI (G. S.)—Full double. White blotched Dark Pink.
- PROFESSOR PHILLIPPO PARLATORE (G. S.)—Imb., double. White, some petals lined Pink.
- PROSPER VIAL (G. S.)—Semi-double. White, washed Light Pink, flecked Red.
- PUNCTATA BOUTOURLIN (G. S.)—Peony-form. Rose flecked White.
- PUNCTATA MAJOR (G. S.)—Peony-form. White lined Carmine. Large.
- PURITY (Armstrong) Syn.: Neige d'Oree, Snow White—Imb., perfectly symmetrical, Pure White with pale Gold bud center.
- PURPLE DAWN (J. G. Seedling)—Double, well built. Deep Red, Purple cast.
- PURPLYANA Syn.: Coletti, Coletti Maculata, Girard de Baillon—Peony-type. Some petals Red others Solid White or spotted.
- QUARTETTE (J. G.)—Semi-double, large. Red, White, Pink, and Variegated blossoms on same tree. One color more than Tricolor.
- QUEEN BESSIE (Overlook)—Semi-double. White with faint flush of Pink.
- QUEEN OF HEARTS (Coolidge)—Semi-double, White striated Soft Rose Pink.
- QUEEN VICTORIA (Germany)—Imb., medium size, Red with White spots.
- RADIATA (Fruitland) Syn.: Standard Double Pink and White. Imb., Rose mottled White.
- RAINY SUN (Lindo)—Loose petaled semi-double. Deep Rose Red.
- RASEN-ZOME (Japan)—Double. Flame Red variegated with White.
- RED EAGLE (Lindo)—Has not yet bloomed.
- RED PEONY (J. G.)—Double peony type. Very Dark Red.
- REFINEMENT (J. G.)—Sport of Purity. Imb., small petals. Pure White.
- RED WALKER (Lindo)—Has not yet bloomed.
- REGINA de GIANTI (G. S.)—Syn.: William S. Hastie. Imb. Large Rose Pink fading to Light Pink.
- REINE des FLEURS (Bolen)—Small, very double. Deep Rose Red, few flecks of White.
- REINE MARIE HENRIETTE (G. S.)—Imb., Rose often dotted Pure White.
- RENJO-NO-TAMA (Japan)—Double. Large Snow White.

3. CAMELLIA JAPONICA (Continued):

- REVEREND JOHN BENNETT (B. & A.)—Large, single. Rose Madder streaked White.
- REV. JOHN G. DRAYTON (B. & A.) Syn.: Nevius—Semi-double, Creamy White.
- REVERIE des FLEURS (J. G.)—Imb., Rose Pink, splotched White.
- ROGETSU (Japan) Syn.: Hassaku-tsubaki, Hatsu-arashi—Single, White.
- ROGETSU-NISHIKI (Japan)—Has not yet bloomed.
- ROI LEOPOLD (G. S.)—Imb., Bright Rose Red.
- ROMANY (Coolidge)—Imb. Deep Rose Pink veined Light Rose.
- ROSE EMRY (Kiyono) Syn.: Carnation—Imb., medium size, Light Red.
- ROSITA (Armstrong)—Imb., medium size. Rose Pink faintly blotched White.
- ROSITA (J. G.)—Loosely Imb., large. Bright Red, petals fluted.
- ROSEMARY (J. G.)—Imb., Deep Rose.
- ROSE PINK (J. G.)—Semi-double. Medium size. Light Rose veined White.
- ROSULARIS (J. G.)—Large, peony-type. White heavily blotched Rose.
- ROSE QUEEN (Coolidge)—Semi-double, Bright Red. Early.
- ROUGE (Armstrong)—Large, Silver-Rose petals inside, Cherry Red outside.
- RUBENS (G. S.)—Imb., Deep Rose with large White spots.
- RUBRA VIRGINALIS (J. G., local development) Syn.: Jeanerette Pink—Large, peony-type. Bright Pink.
- SACCO NOVA (Hill)—Double. Flesh Pink flecked Darker Pink and White.
- SAIFU (Japan)—Semi-double. Dark Red washed Purple, splotched White.
- SANKO (Japan)—Large fluted petals, deeply "V" 'ed, Amaranth Purple faintly washed Pink.
- SANGDON (Kiyono)—Semi-double. Shell Pink.
- SANKO-NISHIKI (Japan)—Single, large. Long petals. Soft Pink.
- SANKO-TSUBAKI (Japan) Syn.: Sanko-nishiki—Single, long petals, Soft Pink.
- SAOTOME (Japan)—Single, small. Light Pink. Fragrant.
- SARA C. HASTIE (B. & A.) Syn.: Debutante—Peony-type. Delicate Rose Madder Pink. Early.
- SARAH FROST (Improved) (J. G.)—Imb. Tyrian Pink veined Purple. Large.
- SARA-SA (Overlook)—Large, single. Light Pink, flecked and dashed Rose.
- SEIGANJI (Japan)—Single flower, White. Round petals.
- SEMI-DOUBLE BLUSH (Kiyono)—Semi-double. Soft. Light Shell Pink.
- SEMI-DOUBLE RED (J. G.)—A sport of Tricolor.
- SEMI-DOUBLE WHITE (J. G.)—Semi-double. Slender petals. Pure White.
- SHELL PINK (J. G.)—Peony-type. Very rich Shell Pink. Similar to Sara C. Hastie, but Shell Pink is a late bloomer.
- SHAWA-NO-SAKI (Japan)—Has not yet bloomed.
- SHIBORI-NO-ROGETSU (Japan)—Single. Crimson variegation on Blush White.
- SHIBORI-SASHU (Japan)—Has not yet bloomed.
- SHIBORI-WABISUKI (Japan)—Has not yet bloomed.
- SHIKAI-NAMI (Japan)—Has not yet bloomed.
- SHIO-GINU (Japan)—Has not yet bloomed.
- SHIRA-BYOSHI (Pugh)—Has not bloomed yet.
- SHIRANUHI (Japan)—Large, single, Deep Salmon Red.
- SHIRAGIKU (Japan)—White, rose-form regular to imbricated type.
- SHIRATIMA-SHIBORI (Japan)—Single White with Red stripes.
- SHIRO-WABISUKE (Japan)—Single, Snow White. Fragrant. Small.
- SHOKKO (Japan)—Single, Crimson with White spots.
- SHOKKO-NISHIKI (Japan)—Large single, Crismon variegations on White.
- SHUCHUKA (Japan)—Has not bloomed yet.
- SHUNGYO-KO (Japan)—Semi-double. Rose Pink shading deeper, White tipped.
- SINGLE RED (Koyono)—Large single Red.
- SNOWBALL (Domoto)—Large peony-form. Pure White. Similar to Boule de Neige.

3. CAMELLIA JAPONICA (Continued):

- SNOWDRIFT (Domoto)—Semi-double. Cupped petals. Snow White.
- SNOW WHITE (Armstrong) Syn.: Purity, Neige d'Oree—Medium size. Pure White.
- SODE-GAKUSHI (Japan) Syn.: Lotus—Very large, double. Snow White.
- SOLARIS (J. G.)—Imb., Dark Red. Late.
- SOMEGAWA VARIEGATA (Domoto) Syn.: Mrs. Confer—Imb., White ground striped Rose.
- SOPHIA CHIARUGI (G.S.)—Imb., Soft Rose.
- SOUCHOLEI (Lindo)—Has not yet bloomed.
- SOUVENIR de BAHAUD-LITOU (G. S.) Syn.: Lady France—Imb., Soft Rose.
- SOUVENIR de GASTON ALLERY (G. S.)—Large, semi-double. Salmon Rose lined White.
- SOUVENIR de HENRI GUICHARD (G. S.) Syn.: Hermie, Jordan's Pride, Hikari Genji—Light Pink bordered White, lined Red.
- SOUVENIR de MME. COLETTE VAN WASSENHOVE (G. S.)—Large, peony-form. Creamy White.
- SOUVENIR d'UNE AMI (J. G.)—Single, large. Deep Rose Pink, White with Pink stripes on same tree.
- SPECTABILIS (Eng.)—Large, imb., Bright Red. Early.
- ST. ANDRE (Eng.)—Very large, semi-double with full center. Bright Red.
- ST. ELMO (Rubel) Syn.: Cabbage Head, Augusta Wilson—Peony-form. Deep Pink.
- STANDARD DOUBLE PINK AND WHITE (Fruitland) Syn.: Radiata—Imb., Rose mottled White.
- STRIATA (J. G.)—Single. Deep Rose Pink shading to Crimson at tips.
- STORYI (G. S.)—Imb. Soft Light Rose. Small, but well built up.
- SUIBIJIN (Japan)—Large single, round crinkled petals. Delicate Pink.
- SUNRISE (J. G.)—Imb. Clear Rose Pink. Late bloomer.
- SUPERBISSIMA (J. G.) Syn.: Gloire de Nantes, Leana Superba—Fine semi-double. Deep Crimson.
- SWEETI VERA (Fruitland)—Semi-peonyform. Clear Pink flecked Rose Pink.
- SYLVIA (B. & A.)—Large single. Same as Kimberley, but with White variegations on Carmine.
- TARO-AN (Japan)—Large, round petaled single. Soft Pink. Heavy stamens.
- TENNIN-KWAN (Japan)—Large. White splashes on Crimson. Similar to Lady Audrey Buller.
- TEUTONIA (G. S.)—Large. Imb., White lined with Rose. Some solid Rose blossoms.
- TEUTONIA PINK (Kiyono)—Imb., Pink.
- THERESA MASSINA (Kiyono)—Small Light Red.
- THOMPSONIANA (Lindo)—Has not yet bloomed.
- T. K. VARIEGATED (Kiyono)—Semi-double Light Pink edged Darker Pink.
- TOKAYAMA (B. & A.) Syn.: Dobrielle—Imb., Crimson Red.
- TRAVERSI PLENISSIMA (G. S.)—Imb., Red.
- TRICOLOR (B. & A.)—Semi-double. White striped and flecked Pink and Light Red.
- TRICOLOR (California) (Armstrong)—Semi-peony. White dashed Rose Red and Pink. Late bloomer.
- TRICOLOR de SEIBOLD (G. S.)—Single type. White, mottled and flecked Red.
- TRICOLOR NOVA (G. S.)—Imb., White tinted Soft Rose, streaked Crimson. Stubborn.
- TRICOLOR RED (J. G.) Syn.: Mr. Rufus. Sport of Tricolor—Semi-double Red.
- TRICOLOR WHITE (J. G.)—Semi-double Pure White. A sport of Tricolor.
- TRICOLOR PINK (J. G.)—Semi-double Flesh Pink. A sport of Tricolor.
- TRIUMPHANT (G. S.)—Peony-form, Rose. Extra large. Similar to St. Elmo.
- TRIUMPHUS (Lindo)—Has not yet bloomed.
- TROIS MARIE (J. G.) Syn.: Montironi, Elisabeth—Imb., White with streaks of Red.
- TONNIE LECHE (J. G.)—A seedling. Imb., White.
- TSUKI-NO-MIYAKO (Japan)—Large, single White.

3. CAMELLIA JAPONICA (Continued):

UNIFA del TEBRO (G. S.)—Imb., Vivid Cherry, large White stripes.

USU-OTOME (Japan) Syn.: Frau Mina Seidel, Lacy Pink, Pink Perfection, Goishi—
Imb. Small True Shell Pink.

UTSU-SEMI (Japan)—Double. Pure White.

VALTEVAREDO (Lindo)—Full double. Rich Pink, darker at tips of petals.

VALTEVAREDO VARIEGATED (Lindo)—Imb., Rich Pink with White variegations.

VARIABILIS (J. G.)—Semi-double. Alizarin Crimson.

VAN NEES (Germany)—Has not yet bloomed.

VARIEGATA (G. S.)—Deep Rose streaked White.

VARIEGATED BIDWELL (Lindo)—Has not yet bloomed.

VARIEGATA PERFECTA (Germany): Syn.: Lady Audrey Buller, Nagasaki—Large
semi-double Pink blotched White.

VEDRINE (J. G., local development) Syn.: St. Andre—Large, peony type. Dark Red.

VERONICA (Germany)—Large, semi-double. Rose Madder, occasional White spots.

VICTOR EMMANUEL II (G. S.)—Fully imb., large, Flesh color dashed Rose Red.
Similar to Princesse Clotilde and La Peppermint.

VICTOR EMMANUEL (J. G.)—Sport of Victor Emmanuel II. Solid Rose, imb.

VIRGINIA FRANCO (G. S.)—Imb. Rose, White background streaked Rose Red.

VILLE de NANTES (G. S.)—Semi-double. Rose Red to Pomegranate Purple, White
spots.

WAGNER (Lindo)—Has not yet bloomed.

WAKENOURA (Domoto)—Semi-double, White flecked and dashed Red. Similar to
Tricolor.

WAKENOURA RED (Domoto)—Semi-double. Red. Similar to Tricolor Red.

WARRATAH (Kiyono)—Peony-type. Small. Red. Similar to Prof. Sargent, but
small.

WHITE BALL (J. G. Seedling)—Peony-type. Full, Pure White with an occasional
Pink line on some petals.

WHITE KAGURA (Japan)—Double, Pure White.

WHITE PERFECTION (J. G.)—Imb., same type as Pink Perfection. Pure White.

WILDERII (Pugh)—Imb., Very Bright Rose.

WILLIAM S. HASTIE (B. & A.) Syn.: Regina de Gianti—Large, Imb., Rose Pink,
fading to Light Pink on edges.

WILLIAM L. DOWNING (Pugh)—Large semi-double, Purplish Pink or Red.

YAE-GASUMI (Japan)—Large double, Flesh color.

YEDO-NO-ASAHI (Japan)—Has not yet bloomed.

YAMATO-NISHIKI ROSE (Japan)—Large single, Rose.

YAMATO-NISHIKI (Japan) Syn.: Oridino-nishiki—Large single, White striped Red.

YEZO-NISHIKI (Japan) Syn.: Gondo-shibori—White with Red variegations.

YEZO-SHIBORI (Japan)—Large double White, striped Crimson.

YOBIKO-DORI (Japan)—Large, semi-double. White flushed Pale Pink.

YOHEI-HAKU (Japan)—Full double, large White.

YUKI-BOTAN (Japan)—Peony-flower, large Snow White.

ZORAIDE-WANZI (G. S.)—Imb., White blotched with Rose Red.

4. CAMELLIA SASANQUA:

(This small-leaved Fall blooming member of the camellia family is a native of Japan where it is found growing wild in the mountain forests. The species is very popular in Japan, and has been cultivated by the Japanese for a very long time, and with them it is even more popular as a garden plant than *Camellia Japonica*.)

The Japanese have developed a large number of attractive varieties, the best of which have been brought from Japan for my collection.

Sasanqua is the earliest bloomer of the camellia family, the flowering period being from Early October to Mid-December.

Camellia Sasanqua has not been grown sufficiently in the United States to acquaint garden lovers with its beauty and value as a decorative plant. Its small, dark-green foliage, and the profuseness of Fall bloom embracing many colors and forms should make it exceedingly popular, when it is better known.

Sasanqua is especially valuable and beautiful when grown as a high natural hedge. Such a hedge, when once seen in bloom will never be forgotten.

As Sasanqua blooms in the South before the cold days of Winter, its bloom is never damaged by frost. This feature alone should make it popular in the northern part of the camellia belt.)

Varieties now growing in Jungle Gardens are:

APPLE BLOSSOM (Kiyono)—Single, White tipped Light Pink.

ASAHI-GAI (Japan)—Rose Red. Usually single, but occasionally a peony-type bloom appears on same tree.

AKI-GASHIKI (Japan)—Single, Rose Red, tipped, shading to White at center.

BLUSH PINK (Japan)—Broad petals, suffused Pink.

CHIRI-TSUBAKI (Japan) Syn.: Shishigashira—Small, semi-double, Daphne Pink.

CLEOPATRA (Overlook)—Star-shaped blossom. Light Red Rose washed White.

DAWN (Overlook)—Ragged semi-double. Daphne Pink.

DOUBLE WHITE (Japan) Syn.: Snow, Fuji-no-mine—Pure White.

FUJI-NO-MINE (Japan) Syn.: Snow, Double White—Semi-double, full, Pure White.

GENJI-GURUMA (Japan)—Single. Rose Pink mottled White, tipped Rose Red.

GOMI-NO-KOROMO (Japan)—Single. White fading into Pink on edges of petals.

GOSHO-GURUMA (Japan)—Small, five frilled and cupped petals, tinged Rose.

HASHIDATE (Japan)—Single, White to Pink on edges.

HANA-FUKI (Japan)—Has not yet bloomed.

HATSU-YUKI (Japan)—Small single. White tipped Deep Rose Pink.

HAWANEI (Japan)—Has not yet bloomed.

HINODE-GUMO (Japan) Syn.: Yae-gasumi—Semi-double. White shaded Rose Pink. Large.

HIODOSHI (Japan)—Rosolane Purple, splashed and marbled White. Large, attractive.

HIRYO (Japan)—Has not yet bloomed.

HIRYO-NISHIKI (Japan)—Small, single. Crimson spotted White.

HITO-MARO (Japan)—Large, single. White tipped Amaranth Pink.

HOMARE-NO-NISHIKI (Japan)—Large, Light Red shading to Rose at center and base.

HOTEI-ASOBI (Japan)—Cup-shaped, White tipped and marbled Amaranth Purple.

HOWMEI (Japan)—Single. Light Rose Red, edged Purple. Light Pink center.

KAIDO-MARU (Japan)—Single, White washed Pink.

KAMAKURA (Japan)—Single Red with White splashy variegation.

KIN-NO-SAI (Japan)—Base and center Light Rose Red. Striped Deep Red.

KOKINRAN (Japan)—Large, single. Ivory White base lined Tyrian Pink.

KOW-GYOKU (Japan) Syn.: Little Gem—Imb., full double Delicate Pink.

KYO-NISHIKI (Japan)—Has not yet bloomed.

KUREHA (Japan)—Semi-double. Pale Amaranth Pink to White at center. Attractive.

LITTLE GEM (Japan) Syn.: Kow-gyoku—Imb., full double. Delicate Pink. Very attractive.

MEIGETSU (Japan)—Small, single White.

MINE-NO-YUKI (Japan)—Single, White washed Pale Amaranth Pink.

4. CAMELLIA SASANQUA (Continued):

- MIODOROKI (Japan)—Large, semi-double. White washed Pale Pink.
MIYUKI-NISHIKI (Japan)—Single. Rose Red with Purple cast. Marbled White.
MONOZONO-NISHIKI (Japan)—Semi-double. White tipped Rose.
RED (Japan)—Single Deep Red.
ROSEA (England)—Single. Deep Rose Madder with Purple Lake cast.
SANKOW (Japan)—Semi-double. White lightly washed Rose Pink.
SANKO (Japan)—Semi-double. Smooth delicate Light Pink.
SETSUZAN (Japan)—Large, semi-double Pink.
SARASA-SHIBORI (Japan)—Small single. White tipped Light Rose.
SHELL PINK (J. G.)—Medium size, single. Flesh Pink center and base. Pale Pink edges.
SHISHIFUKIJIN (Japan)—Very large, crinkled petals. Mallow Pink.
SHIKISHIMA (Japan)—Single, White mottled Rose Red.
SHIO-GINU (Japan)—Single. Amaranth Pink. Petals crinkled.
SHOWA-NO-SAKAE (Japan)—Large, double. Pale Pink.
SHISHIGASHIRA (Japan) Syn.: Chiri-tsubaki—Dwarf in growth habit. Medium sized bloom. Bright Rose Red. Best of rose-colored sasanquas.
SINGLE BLUSH PINK (J. G.)—Single. Medium Pink.
SINGLE FLESH PINK (Japan)—Single. Flesh Pink.
SINGLE PINK AND WHITE (J. G.)—Single. White tipped Rose Pink.
SINGLE LIGHT PINK (England).
SINGLE LIGHT RED (Japan)—Five petals. Rose Red.
SINGLE ROSE (J. G.)—Single, Rose Pink.
SINGLE SHELL PINK (Doescher).
SINGLE WHITE (J. G.)—Single, flowers abundant. White tipped Flesh.
SNOW (Malbis) Syn.: Double-white, Fuji-no-mine. Pure White.
TANYA (Coolidge)—Dwarf growth habit. Single. Reddish Purple, petals indented.
TAIHEI (Japan)—Has not yet bloomed.
TAIMEI-NISHIKI (Japan)—Single. Madder Pink, occasional White fleck.
TAISHO-NISHIKI (Japan)—Single. White with deep Crimson edges.
TAKARA-AWASE (Japan)—Single. Large. White with prominent stamens.
TOTENKO (Japan)—Very large, single. Light Pink, petals fluted.
TSUDA-SHIBORI (Japan)—Has not yet bloomed.
TSUKI-NO-KASA (Japan)—Single, Pure White, medium size.
TSUMAORI-GASA (Japan)—Single. Red washed Purple, crinkled petals. Yellow stamens.
TSUZURA-NISHIKI (Japan)—Single. White base, edged Rose. Underside Mallow Pink.
UME-GAKI (Japan)—Small, single. Solid Pink.
WHITE DOVES (Japan)—Double. Large White. Larger than Fuji-no-mine.
WHITE TIPPED FLESH (Japan).
WHITE TIPPED BLUSH PINK (Japan).
YAE-GASUMI (Japan) Syn.: Hinode-gurma—Large semi-double White shaded Rose.
YEZO-NISHIKI (Japan)—Single, small. Shell Pink.
YUKI-N-NAGAME (Japan)—Has not yet bloomed.

5. CAMELLIA OLEIFERA:

(A native of China, this beautiful camellia is very rare in cultivation. My collection is fortunate in having secured a plant from the type plant now growing in Kew Gardens, England. The blossom of Oleifera resembles Sasanqua, but is larger, and more delicate in petal texture and color.)

Varieties now growing in Jungle Gardens:

- OLEIFERA (Eng.)—Large crepe-like blossom. White faintly washed Rose. Cupped.
OLEIFERA (Japan)—Small, single. Rose Red.